

MT2 Review Pt 2

Class outline:

- Lists & dicts
- Lists in environment diagrams
- Objects

Lists & dicts

Exercise: Element comparer

Does every element equal some other element in s?

```
[-4, -3, -2, 3, 2, 4] → False  
[4, 3, 2, 3, 2, 4] → True
```

```
def all_have_an_equal(s):  
    """Does every element equal some other element in s?  
  
    >>> all_have_an_equal([-4, -3, -2, 3, 2, 4])  
    False  
    >>> all_have_an_equal([4, 3, 2, 3, 2, 4])  
    True  
    """
```



Exercise: Element comparer (Solution)

Does every element equal some other element in s?

```
[-4, -3, -2, 3, 2, 4] → False  
[4, 3, 2, 3, 2, 4]   → True
```

```
def all_have_an_equal(s):  
    """Does every element equal some other element in s?  
  
    >>> all_have_an_equal([-4, -3, -2, 3, 2, 4])  
    False  
    >>> all_have_an_equal([4, 3, 2, 3, 2, 4])  
    True  
    """  
    return min([sum([1 for y in s if x == y]) for x in s]) > 1  
    # OR  
    return all([s[i] in s[:i] + s[i+1:] for i in range(len(s))])  
    # OR  
    return all(map(lambda x: s.count(x) > 1, s))
```



Exercise: Digits dictionary

Create a dictionary mapping each digit d to the lists of elements in s that end with d.

```
[5, 8, 13, 21, 34, 55, 89] → {1: [21], 3: [13], 4: [34], 5: [5, 55], 8: [8], 9: [89]}
```

```
def digit_dict(s):
    """Map each digit d to the lists of elements in s that end with d.

    >>> digit_dict([5, 8, 13, 21, 34, 55, 89])
    {1: [21], 3: [13], 4: [34], 5: [5, 55], 8: [8], 9: [89]}
    """

```



Exercise: Digits dictionary (Solution)

Create a dictionary mapping each digit d to the lists of elements in s that end with d.

```
[5, 8, 13, 21, 34, 55, 89] → {1: [21], 3: [13], 4: [34], 5: [5, 55], 8: [8], 9: [89]}
```

```
def digit_dict(s):
    """Map each digit d to the lists of elements in s that end with d.

    >>> digit_dict([5, 8, 13, 21, 34, 55, 89])
    {1: [21], 3: [13], 4: [34], 5: [5, 55], 8: [8], 9: [89]}
    """
    return {i: [x for x in s if x % 10 == i]
            for i in range(10) if any([x % 10 == i for x in s])}
# OR
last_digits = list(map(lambda x: x % 10, s))
return {i: [x for x in s if x % 10 == i]
        for i in range(10) if i in last_digits}
```

Lists in environment diagrams

List operations

Starting from:

```
s = [2, 3]  
t = [5, 6]
```



Operation	Example	Result
-----------	---------	--------

`append` adds one element to a list

```
s.append(t)  
t = 0
```



`extend` adds all elements in one list to another list

```
s.extend(t)  
t[1] = 0
```



addition & slicing create new lists containing existing elements

```
a = s + [t]  
b = a[1:]  
a[1] = 9  
b[1][1] = 0
```



List operations

Starting from:

```
s = [2, 3]  
t = [5, 6]
```



Operation	Example	Result
<code>append</code> adds one element to a list	<code>s.append(t)</code> <code>t = 0</code>	<code>s → [2, 3, [5, 6]]</code> <code>t → 0</code>
<code>extend</code> adds all elements in one list to another list	<code>s.extend(t)</code> <code>t[1] = 0</code>	
addition & slicing create new lists containing existing elements	<code>a = s + [t]</code> <code>b = a[1:]</code> <code>a[1] = 9</code> <code>b[1][1] = 0</code>	

List operations

Starting from:

```
s = [2, 3]  
t = [5, 6]
```



Operation	Example	Result
<code>append</code> adds one element to a list	<code>s.append(t)</code> <code>t = 0</code>	<code>s → [2, 3, [5, 6]]</code> <code>t → 0</code>
<code>extend</code> adds all elements in one list to another list	<code>s.extend(t)</code> <code>t[1] = 0</code>	<code>s → [2, 3, 5, 6]</code> <code>t → [5, 0]</code>
addition & slicing create new lists containing existing elements	<code>a = s + [t]</code> <code>b = a[1:]</code> <code>a[1] = 9</code> <code>b[1][1] = 0</code>	

List operations

Starting from:

```
s = [2, 3]  
t = [5, 6]
```



Operation	Example	Result
<code>append</code> adds one element to a list	<code>s.append(t)</code> <code>t = 0</code> 	<code>s → [2, 3, [5, 6]]</code> <code>t → 0</code>
<code>extend</code> adds all elements in one list to another list	<code>s.extend(t)</code> <code>t[1] = 0</code> 	<code>s → [2, 3, 5, 6]</code> <code>t → [5, 0]</code>
addition & slicing create new lists containing existing elements	<code>a = s + [t]</code> <code>b = a[1:]</code> <code>a[1] = 9</code> <code>b[1][1] = 0</code> 	<code>s → [2, 3]</code> <code>t → [5, 0]</code> <code>a → [2, 9, [5, 0]]</code> <code>b → [3, [5, 0]]</code>

List operations

Starting from:

```
s = [2, 3]
t = [5, 6]
```



Operation

The `list` constructor also creates a new list containing existing elements

Example

```
t = list(s)
s[1] = 0
```

Result

slice assignment replaces a slice with new values

```
s[0:0] = t
s[3:] = t
t[1] = 0
```



List operations

Starting from:

```
s = [2, 3]  
t = [5, 6]
```



Operation	Example	Result
The <code>list</code> constructor also creates a new list containing existing elements	<pre>t = list(s) s[1] = 0</pre>	<pre>s → [2, 0] t → [2, 3]</pre>
slice assignment replaces a slice with new values	<pre>s[0:0] = t s[3:] = t t[1] = 0</pre>	

List operations

Starting from:

```
s = [2, 3]  
t = [5, 6]
```



Operation	Example	Result
The <code>list</code> constructor also creates a new list containing existing elements	<pre>t = list(s) s[1] = 0</pre>	<pre>s → [2, 0] t → [2, 3]</pre>
slice assignment replaces a slice with new values	<pre>s[0:0] = t s[3:] = t t[1] = 0</pre>	<pre>s → [5, 6, 2, 5, 6] t → [5, 0]</pre>

Lists in lists

```
t = [1, 2, 3]  
t[1:3] = [t]  
t.extend(t)
```



 [View in PythonTutor](#)

```
t = [[1, 2], [3, 4]]  
t[0].append(t[1:2])
```



 [View in PythonTutor](#)

OOP

Matrix Representations

Fill in the class implementation to match the doctests.

```
class Matrix:  
    """  
    >>> m = Matrix(3, 3, [1, 0, 1, 1, 1, 1, 0, 0, 1])  
    >>> m  
    Matrix(3, 3, [1, 0, 1, 1, 1, 1, 0, 0, 1])  
    >>> print(m)  
    1 0 1  
    1 1 1  
    0 0 1  
    >>> m2 = Matrix(3, 2, [124, 56, 254, 0, 100, 225])  
    >>> m2  
    Matrix(3, 2, [124, 56, 254, 0, 100, 225])  
    >>> print(m2)  
    124 56 254  
    0 100 225  
    """  
    def __init__(self, w, h, values):  
        _____  
  
    def __repr__(self):  
        _____  
  
    def __str__(self):  
        _____
```

Matrix Representations (Solution)

```
class Matrix:  
    """  
    >>> m2 = Matrix(3, 2, [124, 56, 254, 0, 100, 225])  
    >>> m2  
    Matrix(3, 2, [124, 56, 254, 0, 100, 225])  
    >>> print(m2)  
    124 56 254  
    0 100 225  
    """  
  
    def __init__(self, w, h, values):  
        self.width = w  
        self.height = h  
        self.values = values  
  
    def __repr__(self):  
        return f"Matrix({self.width}, {self.height}, {self.values})"  
  
    def __str__(self):  
        grid_lines = []  
        for h in range(self.height):  
            grid_line = []  
            for w in range(self.width):  
                grid_line.append(str(self.values[(h * self.width) + w]))  
            grid_lines.append(' '.join(grid_line))  
        return '\n'.join(grid_lines)
```

Table Representations

```
class Table(Matrix):
    """
    >>> t = Table(2, 3, ['Ice Cream', 'Popularity'], ['Mint Chip', 2, 'Rocky Road', 1, 'Brownie Batter', 3]
    >>> t.headers
    ['Ice Cream', 'Popularity']
    >>> t
    Table(2, 3, ['Ice Cream', 'Popularity'], ['Mint Chip', 2, 'Rocky Road', 1, 'Brownie Batter', 3])
    >>> print(t)
    Ice Cream | Popularity
    -----
    Mint Chip 2
    Rocky Road 1
    Brownie Batter 3
    """

    def __init__(self, w, h, headers, values):
        _____
        self.headers = _____

    def __repr__(self):
        _____

    def __str__(self):
        header_line = _____
        divider = _____
        body = _____
        return _____
```

Table Representations (Solution)

```
class Table(Matrix):
    """
    >>> t = Table(2, 3, ['Ice Cream', 'Popularity'], ['Mint Chip', 2, 'Rocky Road', 1, 'Brownie Batter'])
    >>> t
    Table(2, 3, ['Ice Cream', 'Popularity'], ['Mint Chip', 2, 'Rocky Road', 1, 'Brownie Batter', 3])
    >>> print(t)
    Ice Cream | Popularity
    -----
    Mint Chip 2
    Rocky Road 1
    Brownie Batter 3
    """

    def __init__(self, w, h, headers, values):
        super().__init__(w, h, values)
        self.headers = headers

    def __repr__(self):
        return f"Table({self.width}, {self.height}, {self.headers}, {self.values})"

    def __str__(self):
        header_line = ' | '.join(self.headers)
        divider = ' | ' * sum([len(h) for h in self.headers])
        body = super().__str__()
        return header_line + '\n' + divider + '\n' + body
```

Buttefly stages

Simulate the stages and instars of a butterfly using iterators.

```
class Butterfly:
    """ See: https://monarchwatch.org/biology/cycle1.htm
    >>> b = Butterfly()
    >>> b.stage
    'egg'
    >>> b.next_stage()
    >>> b.stage
    'larva'
    >>> b.instar
    1
    >>> for _ in range(4): b.next_instar()
    >>> b.instar
    5
    >>> b.next_stage()
    >>> b.stage
    'pupa'
    >>> b.next_stage()
    >>> b.stage
    'adult'
    """
    stages = ['egg', 'larva', 'pupa', 'adult']
    num_instars = 5

    def __init__(self):
        self.stage_iter = iter(stages)
        _____

    def next_stage(self):
        _____ = next(self.stage_iter)
        if _____ == 'larva':
            self.instar_iter = iter(range(num_instars))
        _____

    def next_instar(self):
        _____ = next(self.instar_iter)
```



Buttelfly stages (Solution)

```
class Butterfly:
    """ See: https://monarchwatch.org/biology/cycle1.htm
    >>> b = Butterfly()
    >>> b.stage
    'egg'
    >>> b.next_stage()
    >>> b.stage
    'larva'
    >>> b.instar
    1
    >>> for _ in range(4): b.next_instar()
    >>> b.instar
    5
    >>> b.next_stage()
    >>> b.stage
    'pupa'
    >>> b.next_stage()
    >>> b.stage
    'adult'
    """
    stages = ['egg', 'larva', 'pupa', 'adult']
    num_instars = 5

    def __init__(self):
        self.stage_iter = iter(self.stages)
        self.next_stage()

    def next_stage(self):
        self.stage = next(self.stage_iter, self.stages[-1])
        if self.stage == 'larva':
            self.instar_iter = iter(range(1, self.num_instars + 1))
            self.next_instar()

    def next_instar(self):
        self.instar = next(self.instar_iter, self.num_instars)
```